KWH Mirka Ltd

66850 Jeppo Date printed 13.02.2015, Revision 13.02.2015 Version 01 Page 1 / 7 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier **Polarshine E3** Relevant identified uses of the substance or mixture and uses advised against 1.2 1.2.1 Relevant uses Polishing agent 1.2.2 Uses advised against None known. Details of the supplier of the safety data sheet 1.3 Company KWH Mirka Ltd Pensalavägen 210 66850 Jeppo / FINLAND Phone +358 20 760 2111 Fax +358 20 760 2290 Homepage www.mirka.com E-mail sales@mirka.com Address enquiries to **Technical information** sales@mirka.com Safety Data Sheet sdb@chemiebuero.de 1.4 Emergency telephone number Company +358 20 760 2111 (8:00 - 16:00) **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP] No classification. 2.1.2 Classification according to Directive 67/548/EEC or 1999/45/EC No classification. 2.2 Label elements The product does not require a hazard warning label in accordance with GHS/CLP-directives. Labelling according to Regulation (EC) 1272/2008 Hazard pictograms none Hazard statements none **Precautionary statements** none 2.3 Other hazards Other hazards Further hazards were not determined with the current level of knowledge. **SECTION 3: Composition / Information on ingredients** Product-type: The product is a mixture. Comment on component parts No dangerous components. Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

MIDKE

KWH Mirka Ltd

66850 Jeppo

Date printed 13.02.2015, Revision 13.02.2015

Version 01 Page 2 / 7

MIRKA

SEC	SECTION 4: First aid measures			
4.1	Description of first aid measures			
	General information	Change soaked clothing.		
	Inhalation	Ensure supply of fresh air.		
	Skin contact	When in contact with the skin, clean with soap and water.		
		Consult a doctor if skin irritation persists.		
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
	Ingestion	Supply with medical care.		
		Do not induce vomiting. Rinse out mouth and give plenty of water to drink.		
4.2	2 Most important symptoms and effects, both acute and delayed			
		No information available.		
4.3	Indication of any immediate medi	ical attention and special treatment needed		
4.0		Treat symptomatically.		
		Forward this sheet to the doctor.		
SEC	TION 5: Fire-fighting measures			
5.1	Extinguishing media			
	Suitable extinguishing media	All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.		
	Extinguishing media that must not be used	Full water jet.		
5.2	Special hazards arising from the	substance or mixture		
		Risk of formation of toxic pyrolysis products.		
5.3	Advice for firefighters			
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.		
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.		
SEC	TION 6: Accidental release measu	res		
6.1	Personal precautions, protective	equipment and emergency procedures		
		Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product.		
6.2	Environmental precautions			
	·	Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.		
6.3	Methods and material for contain	ment and cleaning up		
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.		
6.4	Reference to other sections			
		See SECTION 8+13		

KWH Mirka Ltd

66850 Jeppo

Date printed 13.02.2015, Revision 13.02.2015

Version 01 Page 3 / 7

MIRKA

.1	Precautions for safe handling	
	Trecautions for sale nationing	Use only in well-ventilated areas.
		During mechanical processing vacuuming at processing machines is necessary.
		Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Use barrier skin cream.
7.2	Conditions for safe storage, inclu	uding any incompatibilities
		Prevent penetration into the ground. Keep only in original container.
		Do not store together with oxidizing agents.
		Keep container in a well-ventilated place. Keep container tightly closed. Keep away from frost.
7.3	Specific end use(s)	
		See product use, SECTION 1.2
SEC	TION 8: Exposure controls / perso	onal protection
	Ingredients with occupational exposure limits to be monitored (GB)	
	· [····· · ···· · · · · · · · · · · · ·	
8.1	Control parameters	not applicable
	Control parameters	
	Control parameters Exposure controls	not applicable
	Control parameters Exposure controls Additional advice on system design	not applicable Ensure adequate ventilation on workstation.
	Control parameters Exposure controls Additional advice on system design Eye protection	not applicable Ensure adequate ventilation on workstation. Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: 0,4 mm: Butyl rubber, >480 min (EN 374). In splash contact
8.1	Control parameters Exposure controls Additional advice on system design Eye protection Hand protection	not applicable Ensure adequate ventilation on workstation. Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: 0,4 mm: Butyl rubber, >480 min (EN 374). In splash contact 0,4 mm: Nitrile rubber, >480 min (EN 374).
	Control parameters Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	not applicable Ensure adequate ventilation on workstation. Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: 0,4 mm: Butyl rubber, >480 min (EN 374). In splash contact 0,4 mm: Nitrile rubber, >480 min (EN 374). Protective clothing. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Do not inhale dust. Do not inhale dust.
	Control parameters Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other	not applicable Ensure adequate ventilation on workstation. Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: 0,4 mm: Butyl rubber, >480 min (EN 374). In splash contact 0,4 mm: Nitrile rubber, >480 min (EN 374). Protective clothing. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Do not inhale dust. Do not inhale vapours. Avoid contact with eyes and skin. Breathing apparatus in the event of aerosol or mist formation.

KWH Mirka Ltd

66850 Jeppo

Date printed 13.02.2015, Revision 13.02.2015

MIRKA

Version 01

Page 4 / 7

SEC	SECTION 9: Physical and chemical properties		
9.1	I Information on basic physical and chemical propertie		
	Form	liquid	
	Color	red-brown	
	Odor	odourless	
	Odour threshold	not determined	
	pH-value	7 - 9	
	pH-value [1%]	not determined	
	Boiling point [°C]	not determined	
	Flash point [°C]	non flammable	
	Flammability (solid, gas) [°C]	not determined	
	Lower explosion limit	not determined	
	Upper explosion limit	not determined	
	Oxidizing properties	no	
	Vapour pressure/gas pressure [kPa]	not determined	
	Density [g/ml]	1,1 - 1,2	
	Bulk density [kg/m³]	not applicable	
	Solubility in water	partially miscible	
	Partition coefficient [n-octanol/water]	not determined	
	Viscosity	not applicable	
	Relative vapour density determined in air	not determined	
	Evaporation speed	not determined	
	Melting point [°C]	not determined	
	Autoignition temperature [°C]	not determined	
	Decomposition temperature [°C]	not determined	

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

KWH Mirka Ltd

66850 Jeppo

Date printed 13.02.2015, Revision 13.02.2015

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute	toxicity
-------	----------

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	Frequent persistent contact with the skin can cause skin irritation.
	Toxicological data of complete product are not available. The product was classified on the basis of the calculation procedure of the preparation directive.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment.



Page 5 / 7

Version 01

KWH Mirka Ltd

66850 Jeppo

Date printed 13.02.2015, Revision 13.02.2015

Page 6 / 7

MIDK

Version 01

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Dispose of as hazardous waste. Coordinate disposal with the authorities if necessary.
Waste no. (recommended)	120120*
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling.
	Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

KWH Mirka Ltd

66850 Jeppo

Date printed 13.02.2015, Revision 13.02.2015

Version 01 Page 7 / 7

MIDKD

5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC	
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).	
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4	
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.	
- VOC (1999/13/CE)	< 1 %	
15.2 Chemical safety assessment		
	Chemical safety assessments for substances in this mixture were not carried out.	

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises

	dangereuses
	ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
	CAS = Chemical Abstracts Service
	CLP = Classification, Labelling and Packaging
	DMEL = Derived Minimum Effect Level
	DNEL = Derived Normannann Enere Level
	EC50 = Median effective concentration
	ECB = European Chemicals Bureau
	EEC = European Economic Community
	EINECS = European Inventory of Existing Commercial Chemical Substances
	ELINCS = European List of Notified Chemical Substances
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC-Code = International Code for the Construction and Equipment of Ships carrying
	Dangerous Chemicals in Bulk
	IC50 = Inhibition concentration, 50%
	IMDG = International Maritime Code for Dangerous Goods
	IUCLID = International Uniform ChemicaL Information Database
	LC50 = Lethal concentration, 50%
	LD50 = Median lethal dose
	MARPOL = International Convention for the Prevention of Marine Pollution from Ships
	PBT = Persistent, Bioaccumulative and Toxic substance
	PNEC = Predicted No-Effect Concentration
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	TLV®/TWA = Threshold limit value – time-weighted average
	TLV®STEL = Threshold limit value – short-time exposure limit
	VOC = Volatile Organic Compounds
	vPvB = very Persistent and very Bioaccumulative
information	
ication procedure	
•	

16.2 Other information

Modified position

Classification procedure

none

Copyright: Chemiebüro®